



Specification:  
DAIKYO COOLANT

---

Test	ASTM	Value
Clearness		Clear
Miscibility with water		Infinite
Water Content (% wt.)	D1123	5.0 Max.
Specific gravity (20 °C /kg/m <sup>3</sup> )	D1122	1.110 – 1.145
Freezing Point, 50% in Distilled water	D1177	Max. -37
Pour Point, Undiluted	D97	Max. 17.8
Boiling Point (undiluted) (°C)	D1120	163 (min.)
Boiling Point (50% diluted) (°C)	D1120	108 (min.)
Effect on Automotive Finish	D1882	No Effect
pH 25 % volume in water	D1287	6.5 - 11
pH undiluted	D1287	5.5 - 11
Reserve Alkalinity	D1121	15 (min.)
Ash Content	D1119	3 (max.)
Chloride ppm		25 (max.)
Ford Foam Test (sec.)		< 5
Odor		Not Offensive